

Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



CBUNA-CUNP Dumps
CBUNA-CUNP Braindumps
CBUNA-CUNP Real Questions
CBUNA-CUNP Practice Test
CBUNA-CUNP Actual Questions



killexams.com

Nursing

CBUNA-CUNP

CBUNA Certified Urologic Nurse Practitioner







Question: 1000

A 29-year-old male presents with penile discharge. Nucleic acid amplification testing reveals Chlamydia trachomatis. Which of the following should be included in his treatment regimen?


A. Azithromycin

B. Ceftriaxone

C. Doxycycline

D. Metronidazole

Answer: A



Question: 1001

A 65-year-old male presents with difficulty urinating and a history of recurrent urinary tract infections. A CT scan reveals a 2 cm prostate mass. What is the most appropriate next step in management?

A. Watchful waiting

B. Referral for radiation therapy

C. Initiation of 5-alpha reductase inhibitors

D. Prostate biopsy

Answer: D

Explanation: Given the prostate mass and urinary symptoms, a biopsy is necessary to determine if the mass is malignant, guiding further management.

Question: 1002

During a case discussion regarding a patient with prostate cancer, what is the most effective way for a urologic nurse practitioner to present their findings?

- A. By solely focusing on their diagnostic conclusions
- B. By avoiding discussion of the patient's psychosocial aspects
- C. By presenting data in a disorganized manner

D. By integrating clinical findings with patient-reported outcomes and preferences

Answer: D

Explanation: Integrating clinical findings with patient-reported outcomes and preferences allows for a more patient-centered approach that can influence treatment decisions.

Question: 1003

A 60-year-old male presents with erectile dysfunction and has a history of coronary artery disease. Which of the following medications is contraindicated for him?

- A. Nitrates
- B. Tadalafil
- C. Sildenafil
- D. Vardenafil

Answer: A

Explanation: Nitrates are contraindicated in patients taking phosphodiesterase inhibitors due to the risk of severe hypotension.

Question: 1004

A 4-year-old girl presents with enuresis and abdominal pain. Upon further evaluation, a renal ultrasound shows hydronephrosis. What is the most likely cause of her enuresis?

- A. Bladder overactivity due to pain
- B. Obstructive uropathy due to a structural anomaly
- C. Psychosocial factors due to pain
- D. Neurological cause related to hydronephrosis

Answer: B

Explanation: Hydronephrosis suggests an obstructive uropathy, which can lead to urinary retention and subsequently cause enuresis.

Question: 1005

A 42-year-old male presents with sudden onset flank pain and hematuria after lifting heavy weights. A CT scan shows a renal hematoma but no laceration. What is the most appropriate management for this patient?

- A. Bed rest and observation
- B. Immediate nephrectomy
- C. Angiographic embolization

D. Open surgical intervention

Answer: A

Explanation: In cases of renal hematoma without laceration and with stable vital signs, bed rest and observation are typically sufficient for management.

Question: 1006

In discussions about palliative care options for a patient with advanced urological disease, what should a urologic nurse practitioner prioritize?

- A. Focusing only on curative options
- B. Deferring to oncologists without input from the patient
- C. Ensuring that all team members are aware of the treatment options
- D. Understanding the patient's values and preferences for end-of-life care

Answer: D

Explanation: Understanding the patient's values and preferences is crucial in guiding palliative care discussions and ensuring that their needs are met during treatment.

Question: 1007

Which of the following factors is a significant prognostic indicator for patients with non-muscle invasive bladder cancer following TURBT?

- A. Tumor grade and number of lesions
- B. Patient age at diagnosis
- C. Presence of hematuria at presentation
- D. History of smoking

Answer: A

Explanation: Tumor grade and the number of lesions are significant prognostic factors that help predict recurrence and progression in non-muscle invasive bladder cancer.

Question: 1008

A 62-year-old female patient presents with urinary urgency, frequency, and pelvic pain. She reports that symptoms worsen during her menstrual cycle. What diagnosis should be considered?

- A. Radiation-induced cystitis
- B. Acute cystitis
- C. Interstitial cystitis
- D. Chronic pyelonephritis

Answer: C

Explanation: The cyclical nature of symptoms in relation to the menstrual cycle is suggestive of interstitial cystitis, often exacerbated by hormonal changes.

Question: 1009

A patient presents to the clinic with prolonged erections and is diagnosed with ischemic priapism. What is the most appropriate immediate treatment?

- A. Apply cold compresses
- B. Perform cavernosal aspiration
- C. Initiate oral PDE5 inhibitors
- D. Administer systemic anticoagulation

Answer: B

Explanation: Cavernosal aspiration is a critical intervention for ischemic priapism to relieve the prolonged erection and prevent complications, often leading to tissue damage.

Question: 1010

For a patient who has undergone a ureteroscopy, which of the following post-operative assessments should the nurse prioritize to identify potential complications early?

- A. Assessing urine output and color
- B. Monitoring vital signs every four hours
- C. Evaluating the surgical site for drainage
- D. Checking the patient's pain level regularly

Answer: A

Explanation: Assessing urine output and color post-ureteroscopy is critical to detect any potential complications such as obstruction or bleeding.

Question: 1011

A 50-year-old male with persistent hematuria undergoes a workup. A renal biopsy reveals dysplasia. What does this finding suggest?

- A. Benign process
- B. Infection
- C. Increased cancer risk
- D. Inflammatory condition

Answer: C

Explanation: Dysplasia in a renal biopsy is indicative of a precancerous process, suggesting an increased risk for renal cell carcinoma.

Question: 1012

A 34-year-old male presents with acute flank pain and is found to have a 5 mm stone in the renal pelvis. He reports nausea and vomiting. What is the most appropriate acute management for this patient?

- A. Ureteroscopy
- B. Extracorporeal shock wave lithotripsy (ESWL)
- C. Immediate nephrectomy
- D. Pain management and hydration

Answer: D

Explanation: In acute management, pain control and hydration are essential for facilitating stone passage; ESWL or ureteroscopy can be considered if symptoms persist or worsen.

Question: 1013

A 59-year-old male presents with urinary urgency and frequency. An ultrasound reveals a 70-gram prostate. What is the best first-line treatment option?

- A. Watchful waiting
- B. 5-alpha-reductase inhibitors
- C. Alpha-blockers
- D. Surgical intervention

Answer: C

Explanation: Alpha-blockers are the first-line treatment for managing urinary symptoms in patients with BPH, providing quick symptom relief.

Question: 1014

In a situation where a urologic nurse practitioner is asked for a second opinion on a patient diagnosed with complex urolithiasis, which approach should they adopt?

- A. They should immediately suggest surgical intervention.
- B. They should rely solely on the previous physician's notes.
- C. They should thoroughly review imaging studies and the patient's symptoms.
- D. They should ask the patient to wait for further testing before giving an opinion.

Answer: C

Explanation: A thorough review of imaging studies and the patient's symptoms is essential for forming an informed and accurate second opinion.

Question: 1015

During a well-child visit, a 4-year-old girl exhibits signs of urinary incontinence and recurrent UTIs. Upon further evaluation, VUR is diagnosed. Which of the following is a potential long-term consequence of untreated VUR?

- A. Acute kidney injury
- B. Development of hypertension
- C. Enuresis
- D. Progressive renal damage

Answer: D

Explanation: Untreated VUR can lead to progressive renal damage due to recurrent infections and reflux nephropathy, potentially resulting in long-term renal impairment.

Question: 1016

During a routine follow-up, a 70-year-old male with BPH reports worsening urinary stream and increased nocturia. A post-void residual volume is measured at 600 mL. What intervention should be considered next?

- A. Observation and lifestyle modifications
- B. Initiation of combination therapy with alpha-blockers and 5-alpha reductase inhibitors
- C. Surgical intervention
- D. Urodynamic studies

Answer: B

Explanation: Given the significant post-void residual volume, combination therapy can help manage severe symptoms and improve urinary flow.

Question: 1017

In a scenario where a patient with a complex medical history presents with urological issues, what is the best approach for the urologic nurse practitioner?

- A. To focus on the current urological symptoms without considering the medical history
- B. To immediately refer the patient to another specialist without assessment
- C. To rely on previous notes without verifying the current status
- D. To conduct a holistic assessment that integrates the patient's entire medical history

Answer: D

Explanation: A holistic assessment that considers the entire medical history is vital for understanding the context of the urological issues and guiding appropriate treatment.

Question: 1018

A 52-year-old male presents with erectile dysfunction and a history of prostate cancer treated with radiation. Which of the following is the most likely cause of his erectile dysfunction?

- A. Psychological factors
- B. Vascular damage from radiation
- C. Hormonal therapy
- D. Neurogenic causes

Answer: B

Explanation: Radiation therapy can cause vascular damage, leading to erectile dysfunction in prostate cancer survivors.





KILLEXAMS.COM

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



<u>Actual Exam Questions</u>: Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.

Exam Dumps: Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.

<u>Practice Tests</u>: Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

<u>Guaranteed Success</u>: Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.

<u>Updated Content:</u> Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.

<u>Technical Support</u>: Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.