



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



DAT Dumps
DAT Braindumps
DAT Real Questions
DAT Practice Test
DAT Actual Questions



killexams.com

Dental

ADA-DAT

ADA Dental Admission Test

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/ADA-DAT>



Question: 969

If two gases, A and B, have the same temperature and pressure but different molar masses, which of the following statements about their molecular speeds is accurate according to Graham's Law of Effusion?

- A. Gas A will effuse faster than gas B if it has a higher molar mass.
- B. The rate of effusion is directly proportional to the square root of the molar mass.
- C. Both gases will effuse at the same rate regardless of molar mass.
- D. Gas B will effuse faster than gas A if it has a higher molar mass.

Answer: D

Explanation: Graham's Law states that the rate of effusion is inversely proportional to the square root of the molar mass; thus, the gas with a lower molar mass will effuse faster.

Question: 970

A chemist is exploring the mechanism of a reaction that converts an alkene to an alcohol using borane followed by oxidation. What type of addition does this process represent?

- A. Markovnikov addition.
- B. Anti-Markovnikov addition.
- C. Electrophilic addition.
- D. Nucleophilic addition.

Answer: B

Explanation: The hydroboration-oxidation process results in anti-Markovnikov addition, where the alcohol is formed at the less substituted carbon.

Question: 971

A chemist observes that a certain liquid has a high surface tension and low vapor pressure. Which of the following intermolecular forces could explain these properties?

- A. Strong hydrogen bonding
- B. Weak London dispersion forces

- C. Strong ionic interactions
- D. Dipole-induced dipole interactions

Answer: A

Explanation: High surface tension and low vapor pressure are indicative of strong hydrogen bonding, which creates cohesive forces among liquid molecules, resulting in a higher energy requirement to escape into the vapor phase.

Question: 972

What is the significance of the integration values in a ^1H NMR spectrum, and how should they be interpreted in the context of molecular structure?

- A. Integration values reflect the molecular weight of the compound.
- B. Integration values provide qualitative information without quantitative implications.
- C. Integration values are irrelevant when determining the functional groups present.
- D. Integration values indicate the number of protons contributing to each signal.

Answer: D

Explanation: The integration values in a ^1H NMR spectrum directly correlate with the number of protons contributing to each signal, providing crucial quantitative information for molecular structure determination.

Question: 973

A cell undergoes meiosis to produce gametes. If a diploid organism has 16 chromosomes, how many chromosomes will each gamete contain after meiosis is completed?

- A. 32
- B. 16
- C. 4
- D. 8

Answer: D

Explanation: Meiosis reduces the chromosome number by half. Thus, a diploid organism with 16 chromosomes will produce haploid gametes containing 8 chromosomes.

Question: 974

What type of reaction occurs when an alkene reacts with a peroxyacid to form an epoxide?

- A. Hydrohalogenation
- B. Electrophilic addition
- C. Cycloaddition
- D. Nucleophilic substitution

Answer: C

Explanation: The reaction of an alkene with a peroxyacid involves a cycloaddition mechanism that results in the formation of an epoxide, which is a three-membered cyclic ether.

Question: 975

During a phase change experiment, a student observes the latent heat involved when ice melts to water. Which of the following statements correctly describes the nature of latent heat?

- A. It is the energy required to change the temperature of a substance.
- B. It is the heat capacity of a solid.
- C. It is the total energy of a substance at a given temperature.
- D. It is the energy absorbed or released during a phase change without changing the temperature.

Answer: D

Explanation: Latent heat is the energy absorbed or released during a phase change, such as melting or boiling, without a change in temperature of the substance.

Question: 976

An experiment was conducted to determine the effect of temperature on enzyme activity. The researchers found that as the temperature increased from 20°C to 37°C, the reaction rate increased. However, at temperatures above 50°C, the reaction rate drastically decreased. What phenomenon best explains the decrease in reaction rate at elevated temperatures?

- A. Competitive inhibition
- B. Decreased pH levels
- C. Increased substrate concentration
- D. Denaturation of the enzyme

Answer: D

Explanation: At elevated temperatures, enzymes can denature, losing their functional shape, which decreases the reaction rate significantly.

Question: 977

What is the primary effect of increased nuclear charge on the periodic trends of atomic radii and ionization energies?

- A. Atomic radii decrease and ionization energies increase
- B. Atomic radii increase and ionization energies decrease
- C. Atomic radii remain unchanged while ionization energies fluctuate
- D. Both atomic radii and ionization energies decrease

Answer: A

Explanation: Increased nuclear charge typically results in a decrease in atomic radii due to stronger attraction between the nucleus and electrons, and an increase in ionization energies as more energy is required to remove an electron.

Question: 978

In a laboratory setting, a chemist prepares two solutions, one containing a non-electrolyte and the other a strong electrolyte. How would the freezing point depression compare between the two solutions?

- A. The non-electrolyte solution will have a greater depression.
- B. Both will have the same freezing point depression.
- C. The strong electrolyte solution will have a greater depression.
- D. The results are inconclusive.

Answer: C

Explanation: The strong electrolyte dissociates into more ions, leading to a greater depression of the freezing point compared to a non-electrolyte, which does not dissociate.

Question: 979

In which scenario would you expect to see a downfield shift in the chemical shift of a proton in ^1H NMR, and what is the underlying reason for this shift?

- A. When the proton is in a highly symmetrical environment.
- B. When the proton is attached to a carbon that is sp^3 hybridized.
- C. When the proton is attached to a carbon adjacent to a highly electronegative atom.
- D. When the proton is shielded by neighboring electron-donating groups.

Answer: C

Explanation: A downfield shift occurs when the proton is attached to a carbon adjacent to highly electronegative atoms, leading to deshielding and increased chemical shift values.

Question: 980

When an alkyne is subjected to hydrogenation in the presence of Lindlar's catalyst, what type of product is formed?

- A. Alkane
- B. Aromatic compound
- C. Alkene
- D. Aldehyde

Answer: C

Explanation: Hydrogenation of an alkyne using Lindlar's catalyst selectively yields a cis-alkene. This catalyst allows the reaction to stop at the alkene stage without reducing it further to an alkane.

Question: 981

A solution's concentration is expressed as 2.5 M. How many grams of NaCl would be needed to prepare 500 mL of this solution? (Molar mass of NaCl = 58.44 g/mol)

- A. 14.61 g
- B. 29.22 g
- C. 116.88 g
- D. 58.44 g

Answer: B

Explanation: To find the mass, use the formula: $\text{mass} = \text{molarity} \times \text{volume} \times \text{molar mass}$. Here, $\text{mass} = 2.5 \text{ mol/L} \times 0.5 \text{ L} \times 58.44 \text{ g/mol} = 73.05 \text{ g}$.

Question: 982

Which muscle group is primarily involved in the flexion of the forearm at the elbow joint, playing a crucial role in various lifting movements?

- A. Biceps brachii
- B. Triceps brachii
- C. Brachialis
- D. Deltoids

Answer: A

Explanation: The biceps brachii is the major muscle responsible for flexing the forearm at the elbow, particularly during lifting and pulling movements.

Question: 983

Which type of error is most likely to occur when a laboratory technician misreads a measurement due to visual misinterpretation of the scale, and how can it be addressed?

- A. Systematic error; can be addressed through proper training and calibration
- B. Blunders; can be rectified by implementing double-check systems
- C. Random error; can be minimized by increasing the number of measurements
- D. Instrumental error; can be fixed by replacing faulty equipment

Answer: B

Explanation: Misreading a measurement due to visual misinterpretation is classified as a blunder, which can be addressed by implementing double-check systems to enhance accuracy.

Question: 984

Given the electron configuration of an element as $[\text{Kr}]5s^24d^{10}5p^3$, determine the molecular geometry of the most stable compound formed by this element when it reacts with hydrogen.

- A. Tetrahedral
- B. Pyramidal
- C. Octahedral
- D. Trigonal bipyramidal

Answer: D

Explanation: The given electron configuration corresponds to an element in group 15. When it forms a compound with hydrogen, it typically adopts a trigonal bipyramidal geometry due to the presence of lone pairs and bonding pairs.

Question: 985

In a nucleophilic substitution reaction, if the substrate is a tertiary alkyl halide and the nucleophile is a strong base, which mechanism is most likely to dominate?

- A. E1
- B. SN1
- C. E2
- D. SN2

Answer: C

Explanation: Tertiary alkyl halides favor the E2 mechanism when reacted with strong bases, as they are sterically hindered and have a low chance of undergoing SN2.

Question: 986

A study on animal behavior reveals that a particular species of birds engages in cooperative breeding, where non-breeding individuals assist in raising the young of others. This behavior is primarily an example of:

- A. Altruism
- B. Kin selection
- C. Resource competition
- D. Territoriality

Answer: B

Explanation: Kin selection is a form of natural selection where behaviors that help relatives reproduce are favored, as seen in cooperative breeding among birds.

Question: 987

A dental hygienist records the time (in minutes) spent on each patient as follows: 30, 45, 30, 60, and 45. What is the variance of the time spent?

- A. 75
- B. 50
- C. 25
- D. 30

Answer: B

Explanation: Mean $\mu = \frac{30+45+30+60+45}{5} = 42$. Variance = $\frac{(30-42)^2 + (45-42)^2 + (30-42)^2 + (60-42)^2 + (45-42)^2}{5} = 50$.

Question: 988

In a clinical study, 60% of patients reported improvement with a new treatment. If 100 patients are treated, what is the expected number of patients that will report improvement?

- A. 50
- B. 60
- C. 70
- D. 80

Answer: B

Explanation: Expected value = $0.60 \times 100 = 60$ patients.

Question: 989

A dentist charges \$100 per procedure. If a patient pays with a 10% discount coupon, what will be the final amount paid by the patient?

- A. \$90
- B. \$95
- C. \$85
- D. \$80

Answer: A

Explanation: Discount amount = 10% of \$100 = \$10. Final amount = \$100 - \$10 = \$90.

Question: 990

A dental clinic has a 5-day work week. If the clinic serves an average of 25 patients per day, what is the total number of

patients served in a month (assuming 4 weeks)?

- A. 200
- B. 400
- C. 500
- D. 600

Answer: C

Explanation: Total patients in a month =
 $25 \text{ patients/day} \times 5 \text{ days/week} \times 4 \text{ weeks} = 500$.

Question: 991

A dentist reports that the current average age of patients is 35 years with a standard deviation of 8 years. What percentage of patients are older than 43 years?

- A. 16%
- B. 20%
- C. 25%
- D. 10%

Answer: A

Explanation: Z-score for 43: $z = \frac{(43-35)}{8} = 1$. The area to the right of $z = 1$ is approximately 16%.

Question: 992

A new dental product claims to reduce plaque by 25%. If the initial plaque level is 80 units, what will be the new plaque level after using the product?

- A. 60
- B. 50
- C. 40
- D. 70

Answer: A

Explanation: Reduction = $80 \times 0.25 = 20$ units. New plaque level = $80 - 20 = 60$.

Question: 993

In a random sample of 50 patients, 30 are male. What is the probability that a randomly selected patient from this sample is female?

- A. 0.4
- B. 0.6
- C. 0.5
- D. 0.3

Answer: A

Explanation: Total patients = 50. Male patients = 30, thus female patients = $50 - 30 = 20$. Probability = $\frac{20}{50} = 0.4$ or 40%.

Question: 994

A dentist has a 90% success rate for a particular procedure. What is the probability that out of 10 procedures, exactly 9 will be successful?

- A. 0.327
- B. 0.387
- C. 0.348
- D. 0.278

Answer: B

Explanation: Using the binomial probability formula:
 $P(X = 9) = \binom{10}{9} (0.9)^9 (0.1)^1$. Calculating gives approximately 0.387.

Question: 995

If a dentist's revenue is expected to grow by 15% annually, what would be the revenue after 2 years if the current revenue is \$200,000?

- A. \$130,000
- B. \$220,000
- C. \$271,000
- D. \$264,500

Answer: D

Explanation: Future revenue = $200,000 \times (1 + 0.15)^2 = 200,000 \times 1.3225 = 264,500$.

Question: 996

A dental study shows that the probability of cavities decreases by 25% when a new toothpaste is used. If the initial probability of cavities is 0.4, what is the new probability?

- A. 0.3
- B. 0.25
- C. 0.35
- D. 0.1

Answer: A

Explanation: New probability = $0.4 - (0.25 \times 0.4) = 0.4 - 0.1 = 0.3$.

Question: 997

A clinic has a 70% patient retention rate. If 200 patients are surveyed, how many patients are expected to return for follow-up?

- A. 130
- B. 140
- C. 150
- D. 160

Answer: B

Explanation: Expected return = $0.70 \times 200 = 140$.

Question: 998

A dentist has a 4:1 ratio of dental hygienists to dentists. If there are 5 dentists, how many dental hygienists are there?

- A. 15
- B. 20
- C. 25
- D. 10

Answer: B

Explanation: If the ratio is 4:1, then for every 1 dentist, there are 4 hygienists. Thus, $5 \times 4 = 20$ hygienists.

Question: 999

A dental office operates 5 days a week and sees an average of 30 patients each day. If the office is closed for a week, how many patients will it miss?

- A. 150
- B. 120
- C. 180
- D. 240

Answer: A

Explanation: Patients missed = $30 \text{ patients/day} \times 5 \text{ days} = 150$.

Question: 1000

In a survey, 80% of patients reported satisfaction with their dental visits. If 50 patients were surveyed, how many reported satisfaction?

- A. 32
- B. 40
- C. 45
- D. 50

Answer: B

Explanation: Satisfied patients = $0.80 \times 50 = 40$ patients.

Question: 1001

A dentist's practice has a 10% cancellation rate. If 80 patients are scheduled for a day, how many are expected to cancel?

- A. 5
- B. 7
- C. 8
- D. 10

Answer: C

Explanation: Expected cancellations = $0.10 \times 80 = 8$.

Question: 1002

If the average number of cavities per patient is 2, and a dentist sees 50 patients, what is the expected total number of cavities?

- A. 50
- B. 100
- C. 75
- D. 80

Answer: B

Explanation: Expected cavities = $2 \text{ cavities/patient} \times$

50 patients = 100.

Question: 1003

A dental clinic charges \$200 for a procedure. If a patient pays with a 15% discount, what will be the final amount paid?

- A. \$170
- B. \$180
- C. \$190
- D. \$150

Answer: A

Explanation: Discount amount = $0.15 \times 200 = 30$. Final amount = $200 - 30 = 170$.



KILLEXAMS.COM

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



Actual Exam Questions: Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.

Exam Dumps: Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.

Practice Tests: Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

Guaranteed Success: Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.

Updated Content: Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.

Technical Support: Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.