Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.

PASS



MBLEX Dumps MBLEX Braindumps MBLEX Real Questions MBLEX Practice Test MBLEX Actual Questions

killexams.com



Massage & Bodywork Licensing Examination 2025

ORDER FULL VERSION



https://killexams.com/pass4sure/exam-detail/MBLEX

Which of the following is the most common cause of plantar fasciitis?

- A. Excessive pronation of the foot
- B. Tight Achilles tendon
- C. Obesity
- D. Repetitive impact activities

Answer: D



Question: 1322

What is the name of the region of the stomach located between the body and the pylorus?



- A. Cardia
- B. Fundus
- C. Antrum
- D. Pylorus

Answer: C

Explanation: The antrum is the region of the stomach located between the body and the pylorus. This area is responsible for the final stages of food storage and mechanical breakdown before the contents are released into the small intestine through the pyloric sphincter.

Question: 1323

A client presents with decreased range of motion on the transverse plane ankle plantar flexion test. This could indicate an impairment or dysfunction in which of the following structures?

- A. Tibialis anterior muscle
- B. Peroneus longus and brevis muscles
- C. Flexor hallucis longus muscle
- D. All of the above

Answer: D

Explanation: Decreased transverse plane ankle plantar flexion can indicate impairments or dysfunctions in the tibialis anterior, peroneus longus and brevis, and flexor hallucis longus muscles. These anterior and lateral compartment structures play a key role in facilitating and stabilizing ankle plantar flexion on the transverse plane.

A patient's blood pressure is measured as 128/82 mm Hg. According to the American Heart Association guidelines, this reading would be classified as:

- A. Normal blood pressure
- B. Elevated blood pressure
- C. Stage 1 hypertension
- D. Stage 2 hypertension

Answer: A

Explanation: The American Heart Association defines normal blood pressure as less than 120/80 mm Hg. A reading of 128/82 mm Hg falls within the normal blood pressure range.

Question: 1325

A client presents with a history of knee pain and swelling that is worse with activity and improves with rest. During the assessment, the therapist finds tenderness over the medial joint line, decreased knee flexion range of motion, and a positive McMurray test. Which of the following is the MOST likely diagnosis for the client's knee condition?

- A. Meniscal tear
- B. Patellofemoral pain syndrome
- C. Osteoarthritis of the knee
- D. Collateral ligament sprain

Answer: A

Explanation: The combination of knee pain and swelling that is worse with activity, tenderness over the medial joint line, decreased knee flexion range of motion, and a positive McMurray test is most indicative of a meniscal tear. The McMurray test is a specific assessment maneuver for identifying meniscal pathology. In contrast, patellofemoral pain syndrome is typically associated with anterior knee pain and crepitus, osteoarthritis of the knee often involves more global joint line tenderness and decreased range of motion, and a collateral ligament sprain would typically involve more localized pain and instability along the affected ligament. The presentation and assessment findings in this case point most strongly to a meniscal tear as the underlying diagnosis.





Question: 1326

What is the name of the muscle that forms the upper esophageal sphincter, which helps control the entry of the bolus into the esophagus?

- A. Cricopharyngeus muscle
- B. Diaphragm
- C. Lower esophageal sphincter
- D. Cardiac sphincter

Answer: A

Explanation: The cricopharyngeus muscle forms the upper esophageal sphincter, which helps control the entry of the bolus from the throat into the esophagus during the swallowing process. This sphincter muscle plays a crucial role in the coordinated movement of the bolus through the digestive tract.

A client presents with decreased range of motion on the transverse plane wrist flexion test. This could indicate an impairment or dysfunction in which of the following structures?

- A. Flexor digitorum profundus and superficialis
- B. Pronator teres and quadratus
- C. Median and ulnar nerves
- D. All of the above

Answer: D

Explanation: Decreased transverse plane wrist flexion can indicate impairments or dysfunctions in the flexor digitorum profundus and superficialis, pronator teres and quadratus, and median and ulnar nerves. These structures all play a role in facilitating and stabilizing wrist flexion on the transverse plane.

Question: 1328

Which phase of the business planning process focuses on analyzing the current market and competition?

- A. Implementation
- B. Evaluation
- C. Market analysis
- D. Financial planning

Answer: C

Explanation: The market analysis phase of the business planning process involves researching and analyzing the current market, industry trends, target audience, and competition. This information is essential for developing a

strategic business plan and making informed decisions about the business's positioning, marketing, and operations.

Question: 1329

The curved, muscular structure that connects the soft palate to the posterior pharyngeal wall is called the:

- A. Palatine arches
- **B.** Palatine tonsils
- C. Epiglottis
- D. Uvula



Question: 1330

The ______ is the most important muscle for adduction and medial rotation of the arm.

- A. Pectoralis major
- B. Latissimus dorsi
- C. Teres major
- D. Deltoid

Answer: B

Explanation: The latissimus dorsi is the most important muscle for adduction and medial rotation of the arm. This large, broad muscle originates from the lower back and inserts on the humerus, allowing for powerful movements that bring the arm toward the body and rotate it inward.

Question: 1331

Which of the following bones is NOT part of the axial skeleton?

A. SternumB. RibsC. ClavicleD. Skull



Explanation: The axial skeleton consists of the skull, hyoid bone, auditory ossicles, ribs, sternum, and vertebral column. The clavicle is part of the appendicular skeleton, which includes the bones of the upper and lower limbs.



Question: 1332

Which layer of the stomach wall contains the smooth muscle fibers responsible for the churning and mixing motion of the stomach?

- A. Mucosa
- B. Submucosa
- C. Muscularis
- D. Serosa

Answer: C

Explanation: The muscularis layer of the stomach wall contains the smooth muscle fibers responsible for the churning and mixing motion of the stomach. This layer consists of an outer longitudinal layer and an inner circular layer of smooth muscle, and the coordinated contractions of these muscle fibers create the characteristic movements that help to break down and mix the food during digestion.

Question: 1333

Which type of proprioceptor is responsible for detecting the length and tension of a muscle?

- A. Muscle spindle
- B. Golgi tendon organ
- C. Joint receptor
- D. Pacinian corpuscle

Answer: A

Explanation: Muscle spindles are the primary proprioceptors responsible for detecting the length and tension of a muscle. They contain specialized sensory receptors that monitor changes in muscle length and provide the central nervous system with feedback about the muscle's state of contraction or relaxation.

Question: 1334

What is the role of the IP3R in the process of calcium-induced calcium release (CICR) in excitable cells, such as cardiac myocytes?

A. The IP3R acts as the initial trigger for CICR by releasing calcium from the ER/SR

B. The IP3R is responsible for the amplification of the calcium signal during CICR

C. The IP3R coordinates the spatiotemporal dynamics of calcium release during CICR

D. All of the above

Answer: D

Explanation: In excitable cells like cardiac myocytes, the IP3R plays a crucial role in the process of calcium-induced calcium release (CICR):

The IP3R acts as the initial trigger, releasing a small amount of calcium from the endoplasmic or sarcoplasmic reticulum in response to IP3 signaling. This initial calcium release then activates ryanodine receptors (RyR), the primary calcium release channels of the ER/SR, leading to a much larger and amplified calcium signal.

The IP3R coordinates the spatiotemporal dynamics of calcium release, ensuring the proper propagation of the CICR signal throughout the cell.

Question: 1335

The muscle tissue responsible for the involuntary contraction of the heart is:

- A. Skeletal muscle
- B. Smooth muscle
- C. Cardiac muscle
- D. Visceral muscle

Answer: C



Explanation: Cardiac muscle is the type of muscle tissue found in the heart and is responsible for the involuntary contraction of the heart chambers, allowing for the pumping of blood throughout the body. Cardiac muscle is under the control of the autonomic nervous system and is unique in its ability to contract and relax without conscious control.

Question: 1336

A client with pes planus (flat feet) presents with pain and tenderness along the medial longitudinal arch. This is most likely due to _____.

- A. Plantar fasciitis
- B. Medial ankle bursitis
- C. Posterior tibialis tendinopathy
- D. Tarsal tunnel syndrome



Answer: C

Explanation: Pes planus (flat feet) is often accompanied by overuse or dysfunction of the posterior tibialis tendon, which is a key stabilizer of the medial longitudinal arch. This can lead to posterior tibialis tendinopathy, characterized by pain and tenderness along the medial aspect of the ankle and foot. Plantar fasciitis typically causes pain on the sole of the foot, medial ankle bursitis causes swelling and pain on the medial malleolus, and tarsal tunnel syndrome causes numbness and tingling in the medial ankle and foot.

Question: 1337

Which of the following is an example of a safety practice related to the massage therapy workspace?

- A. Ensuring the workspace is well-lit and ventilated
- B. Providing the client with a comfortable resting area
- C. Maintaining a clean and organized workspace
- D. All of the above

Answer: D

Explanation: Ensuring the massage therapy workspace is well-lit and ventilated, providing the client with a comfortable resting area, and maintaining a clean and organized workspace are all examples of safety practices related to the massage therapy environment. These practices help to promote the overall safety and well-being of both the client and the massage therapist.

KILL EXAMS

Question: 1338

A client presents with decreased range of motion on the transverse plane hip abduction test. This could indicate an impairment or dysfunction in which of the following structures?

- A. Tensor fasciae latae muscle
- B. Piriformis muscle
- C. Iliotibial band
- D. All of the above

Answer: D

Explanation: Decreased transverse plane hip abduction can indicate impairments or dysfunctions in the tensor fasciae latae muscle, piriformis muscle, and iliotibial band. These structures all play a role in facilitating and stabilizing hip abduction on the transverse plane.

The specialized cells that detect light and sound in the sensory system are called:

- A. Neurons
- B. Receptors
- C. Glial cells
- D. Photoreceptors

Answer: B

Explanation: Receptors are the specialized cells within the sensory system that detect various stimuli, such as light, sound, touch, and temperature. These receptors convert the physical or chemical stimuli into electrical signals that are then transmitted to the brain for interpretation.

Question: 1340

Which of the following is a CONTRAINDICATION for massage therapy?

- A. Osteoarthritis
- B. Hypertension
- C. Diabetes
- D. Anemia

Answer: B

Explanation: Hypertension, or high blood pressure, is generally considered a contraindication for massage therapy. The physical manipulation of soft tissues can potentially increase blood pressure and heart rate, which could be

dangerous for individuals with uncontrolled hypertension. Other conditions like osteoarthritis, diabetes, and anemia may have precautions or modifications for massage, but are not necessarily contraindications.

Question: 1341

Which of the following nerves is most commonly involved in "Friday night paralysis" due to compression in the axillary region?

- A. Radial nerve
- B. Median nerve
- C. Ulnar nerve
- D. Axillary nerve



Answer: A

Explanation: The radial nerve is the most commonly involved nerve in "Friday night paralysis," a condition caused by compression of the nerve in the axillary region. This compression can occur due to prolonged sleeping in a particular position or leaning on the arm, leading to motor and sensory deficits in the distribution of the radial nerve.



KILLEXAMS.COM

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



<u>Actual Exam Questions</u>: Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.

<u>Exam Dumps</u>: Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.

<u>Practice Tests</u>: Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

<u>Guaranteed Success</u>: Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.

<u>Updated Content:</u> Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.

<u>Technical Support</u>: Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.